



(336) 704-0085
18868 S NC Hwy 109
Denton, NC 27239

WARRANTY INFORMATION

Nolan Manufacturing, LLC (the “Manufacturer”) warrants, only to the original purchaser, that trailers and tractor attachments will be free from defects in material and workmanship, under normal use and service, for up to two (2) years from the date of purchase providing this equipment is purchased for individual use only.

This warranty does not apply when the Nolan Manufacturing, LLC product is used for commercial use, rental services, or has been subject to any of the following:

- Unforeseen, accidental, or overload damage
- Change, alteration, or tampering
- Negligence or misuse
- Abnormal wear and tear

This warranty does not apply when the Nolan Manufacturing, LLC product’s user has:

- Failed to adhere to product specification
- Failed to follow operating instructions

Purchasers are expected to follow all recommended terms of use outlined under product specifications to prevent this warranty from becoming null and void due to usage being outside the designed specifications for any product. These terms are subject to the requirements, exclusions, and limitations stated below which will be strictly applied. This warranty does not cover any product or parts not manufactured by Nolan Manufacturing, LLC.

REGISTERING FOR WARRANTY

To validate this Limited Warranty, a copy of your invoice from the original sale must be submitted to Nolan Manufacturing, LLC online at <https://www.nolanmanufacturing.com/register-trailer> or by mail to 18868 S NC Hwy 109 Denton, NC 27239 within ten (10) days of purchase.

For problems submitting registration, please contact Office@NolanManufacturing.com or call Nolan Manufacturing, LLC at (336)704-0085

If the required information is not postmarked by the tenth (10) day after purchase, all express warranties discussed in this Limited Warranty shall be null and void.

TWO (2) YEAR LIMITED - TRAILER BUILD

The structure of Nolan Manufacturing, LLC trailers are warranted to the original retail purchaser against defects in materials and workmanship, arising from normal use and service, for two (2) years from the date of purchase. This includes the main trailer frame, which consists of the tongue frame, channel frame, cross members, uprights, ramps, and gates. Floorboards and running gear are excluded from this two (2) year Limited Warranty.

This two (2) year limited warranty only applies to trailers produced after 7/1/2024. Trailers produced before 7/1/2024 have a one (1) year limited warranty, valid only from the original purchase date, for equivalent parameters.

ONE (1) YEAR LIMITED - ELECTRICS

The electrical system of Nolan Manufacturing, LLC trailers are warranted to the original retail purchaser against defects in materials and workmanship, arising from normal use and service, for one (1) year from the date of purchase. This includes the wiring and lighting systems, break-a-way kits, and other electric hook-ups on select models. Normal wear items stated below are excluded from this one (1) year Limited Warranty.

NINETY (90) DAY LIMITED - PAINT FINISH

The paint finish of Nolan Manufacturing, LLC products is warranted to the original retail purchaser to be consistent with industry standards for one (1) year from the date of purchase. Warrantable paint repairs are limited to spot repairs and blending consistent with standards in the trailer industry and do not apply when the paint finish has been subject to:

- Foreseen damages resulting from:
 - Road salt or tar, animals, or pressure washing
 - Change, alteration, or tampering
 - Negligence or misuse
 - Deterioration due to use or exposure, such as:
 - Chipping, scratching, or fading
 - Cracks in caulk seams
-

NINETY (90) DAY LIMITED - TRACTOR ATTACHMENTS

The structure of Nolan Manufacturing, LLC tractor attachments are warranted to the original retail purchaser against defects in materials and workmanship, arising from normal use and service, for ninety (90) days from the date of purchase. This includes the skid steer quick connect, CAT I, or three (3) point features of any attachment, along with any adjustable functions or external parts like forks, spears, teeth, or cylinders.

EXCLUSION OF COMPONENTS WARRANTED BY OTHER MANUFACTURERS

Tires, axles, brake components, springs and suspension components, couplers, jacks, paint, accessories, or any other component not manufactured by Nolan Manufacturing, LLC are excluded from Nolan Manufacturing, LLC's Limited Warranty.

EXCLUSION OF COMPONENTS INSTALLED BY OTHER PERSONS

Nolan Manufacturing, LLC manufactures some products into which other persons or companies not employed by or are not agents of Nolan Manufacturing, LLC install components, features, and modifications. This Limited Warranty extends only to materials used for workmanship performed by Nolan Manufacturing, LLC or its employees in the construction of the original product, subject to all limitations and exclusions set forth herein.

Nolan Manufacturing, LLC expressly disclaims and excludes any responsibility or liability for any materials or workmanship in any items installed into Nolan Manufacturing, LLC's products by any persons or companies not employed by or who are not agents of Nolan Manufacturing, LLC, including any incidental, special, or consequential damages or contingent liabilities arising therefrom.

NORMAL USE, NO REPAIRS OR ALTERATIONS

This Limited Warranty covers only defects arising from the original construction of Nolan Manufacturing, LLC's products that have arisen from normal use. This Limited Warranty does not cover normal wear items, which will not be replaced due to wear.

Furthermore, any repairs, modifications, or alterations of any product or part manufactured by or installed by Nolan Manufacturing, LLC without prior verbal, written, implied, or otherwise consented to by Nolan Manufacturing, LLC will void this Limited Warranty in its entirety.

This warranty does not apply when the Nolan Manufacturing, LLC product has been subject to any of the following:

- Unforeseen, accidental, or overload damage
- Change, alteration, tampering, or repairs Nolan Manufacturing, LLC did not consent to
- Negligence, abuse, or misuse
- Neglect or abnormal wear and tear

Normal wear items include but are not exclusively limited to:

- Lighting bulbs or lenses
- Bearings or lug nuts
- Brakes, tires, or axle seals
- Wood/lumber

REQUIRED PRIOR WRITTEN CONSENT

No reimbursement will be made to any dealer or owner for repairs made without the prior verbal, written, implied, or otherwise consent of Nolan Manufacturing, LLC.

TRANSPORTATION COSTS EXCLUDED

Nolan Manufacturing, LLC must receive twenty-four (24) hour notice before any defective products(s) or parts(s) arrive at our Denton, NC facility for repairs or replacements. We require all repairs or replacements to be completed at our facility in Denton, NC, though Nolan Manufacturing, LLC shall not be liable for any such transportation costs. Any products(s) or parts(s) sent to our Denton, NC facility must be sent by prepaid freight to qualify for replacement or reimbursement under this Limited Warranty.

OTHER EXCLUSIONS

This Limited Warranty applies exclusively to products manufactured by Nolan Manufacturing, LLC. Authorized repairs do not extend the term of this Limited Warranty. Other exclusions include but are not exclusively limited to lodging, loss of use, cargo loss, inconvenience, loss of time or pay, trailer rental expense, meals, storage charge, and other incidental or consequential loss or damage of a similar nature from the Limited Warranty.

LIMITATIONS

THE SOLE RESPONSIBILITY OF NOLAN MANUFACTURING, LLC UNDER THIS LIMITED WARRANTY SHALL BE TO REPAIR AND REPLACE DEFECTS IN THE ORIGINAL CONSTRUCTION OF NOLAN MANUFACTURING, LLC PRODUCTS AT THE NOLAN MANUFACTURING, LLC FACTORY OR, FOR A REASONABLE ALLOWANCE, AT ANOTHER PLACE IF AUTHORIZED IN WRITING BY NOLAN MANUFACTURING, LLC. ALL OTHER OBLIGATIONS OR LIABILITIES, INCLUDING INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES, OR CONTINGENT LIABILITIES ARISING OUT OF THE FAILURE OF ANY PARTS TO OPERATE PROPERLY, ARE HEREBY EXCLUDED. THIS INCLUDES BUT IS NOT LIMITED TO ANY DAMAGES RESULTING FROM LOSS OF USE, INCONVENIENCE, LOSS OF TIME, COMMERCIAL LOSS, OR ANY OTHER TYPE OF DAMAGES, GENERAL OR SPECIFIC, FORESEEN OR UNFORESEEN UNLESS APPLICABLE STATE LAW PROVIDES OTHERWISE.

DISCLAIMER

THE WARRANTY HEREIN IS EXPRESSLY IN PLACE OF ALL OTHER EXPRESSED OR IMPLIED WARRANTIES AND REPRESENTATIONS. NOLAN MANUFACTURING, LLC MAKES NO REPRESENTATION OR WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, CONCERNING NOLAN MANUFACTURING, LLC PRODUCTS. NO IMPLIED WARRANTY OF MERCHANTABILITY IS MADE AND THERE ARE NO WARRANTIES THAT EXTEND TO THE USE OF NOLAN MANUFACTURING, LLC PRODUCTS FOR PURPOSES BEYOND THE DESCRIPTION HEREOF. NO ONE BESIDES AN AUTHORIZED NOLAN MANUFACTURING, LLC PARTNER WITH WRITTEN AUTHORIZATION IS AUTHORIZED TO MAKE FURTHER, ADDITIONAL, OR MODIFIED WARRANTIES ON BEHALF OF NOLAN MANUFACTURING, LLC

SAFETY NOTICE

- Any tow vehicle hitch ball should match the dimensions of the trailer coupler
 - Safety chains should be crisscrossed and connected with slack
 - A break-a-way unit is not a parking brake
 - A break-a-way unit should not be connected to safety chains or ball mount
 - If the break-a-way switch is removed during the hook-up process, plug it back in within a few seconds. Failure to reattach the switch sends full power through the braking system which can overheat the wiring and switch.
 - Load distribution of cargo should be balanced front to back and side to side
-

SAFETY CHECKLIST

- Check the tire pressure of tow vehicle, trailer, and/or equipment tires
- Check that any wiring has enough slack and is properly connected
- Ensure all running, brake, hazard, etc. lights are working properly
 - Check that both turn signals are working properly
- Ensure cargo is secure on and in tow vehicle/trailer
- Tighten lug nuts/bolts to correct torque on all components
- Check the brakes of tow vehicle, trailer, and/or equipment
- Ensure components are properly secured/adjusted:
 - Coupler, hitch, drawbar, etc.
 - Ramps, gates, etc.
- Properly attach safety chains (Criss-crossed and connected)
 - Safety chains should not touch the road
 - Safety chains should have enough slack to allow for turns
- Ensure the break-a-way braking system/unit is attached to the tow vehicle
- Fully retract trailer jacks, tongue supports, stabilizers, or attachments
- Ensure that you have wheel chocks and jack stands
- Ensure you have good visibility from all mirrors
- Ensure you have your tags and insurance for your tow vehicle, trailer, and/or equipment before pulling onto the roadway.